
TUNGSRAM[™]

Innovation is our heritage EST. 1896





LED GU10 - Dimmable

LED ESmart GU10 5W(50)Dim 830 35° TU 93094495

Product information

This new dimmable range of highly competitive LED GU10 - Dimmable products consume only 5.5W and 3.5W respectively and offer Halogen GU10 lamps with a halogen look-a-like single chip design.

Application areas





ြဲ Hospitality

ਰ Home

Product data

Product Code	93094495
Bulb Shape	Reflector
Bulb Finish	White
Bulb maximum overall diameter [mm]	50
Nominal Length [mm]	53.5
Net weight per piece [g]	35
RoHS compliant	Yes
Brand	Tungsram
Cap/Base	GU10

Performance data

Nominal/ Rated Beam Angle [°]	35
Color consistency (SDCM)	< 6 SDCM
Nominal center beam candlepower (CBCP) [cd]	700
Rated peak intensity in [Cd]	700
Rated Lumens [lm]	380
Weighted energy consumption [kWh/1000h]	5.0
Useful lumens (at 90° cone) [lm]	380
Rated efficacy [lm/W]	69.09
Energy efficiency class (EEC)	F
Rated life L70/B50 [h]	25 000
Nominal correlated colour temperature (CCT) [K]]	3000
Nominal lumens [lm]	440
Colour Rendering Index (CRI) [Ra]	80


Electrical data

Nominal lamp power factor	0.75
Rated power [W]	5.0
Startup time [sec]	<1sec
Number of switching cycles	100 000
Dimming Capability	Yes
Nominal lamp voltage range [V]	230
Nominal power [W]	5
Nominal lamp voltage [V]	230

Logistic data

Shipment	Standard
DUN Code	20064894509494
EAN Code	0064894509490
Pack Quantity	8
Inner pack type	Box
Product status	Available

Light distribution



Downloads & Links

Go to the catalog site (HTTP) Photometry (IES) Datasheet (PDF) Images (HTTP) Doc document (PDF) Dimming compatibility (PDF)



Tungsram is a registered trademark of Tungsram Operations Kft.

tungsram.com

We in Tungsram Operations Kft. are constantly developing and improving our products. For this reason, all product descriptions in this catalogue are intended as a general guide, and we may change specifications from time to time in the interest of product development, without prior notification or public announcement. All descriptions in this publication present only general particulars of the goods to which they refer and shall not form part of any contract. Data in this guide has been obtained in controlled experimental conditions. However, Tungsram cannot accept any liability arising from the reliance on such data to the extent permitted by law.