

PRODUCT DATASHEET ENDURA STYLE CRYSTAL Torch Sensor 5W

ENDURA STYLE CRYSTAL | Stainless steel wall luminaires and bollards with indirect illumination





TECHNICAL DATA

Electrical data

Nominal wattage	5.00 W
Operating mode	Mains voltage
Nominal voltage	220240 V
Power factor λ	> 0,5


Luminaire sensor data

Type of sensor	Light / Motion	
Sensor technology	Passive infrared (PIR)	
Sensor detection angle	90 °	
Sensor controlled switching time	5 s6 min 26 m	
Detection range of motion sensor		
Detection threshold of daylight sensor	030 lx	

Photometrical data

Color temperature	3000 K
Luminous flux	400 lm
Luminous efficacy	80 lm/W
Light color	Warm White
Standard deviation of color matching	< 6 sdcm
Color rendering index Ra	≥80

Dimensions & weight



Length	80.00 mm
Height	250.00 mm
Width	80.00 mm

Product weight	940.00 g
Colors & materials	
Body material	Steel
Product color	Steel
Housing color	Steel
Cover material	Polymethylmethacrylate (PMMA)
Temperatures & operating conditions	
Ambient temperature range	-20+40 °C
Lifespan	
Number of switching cycles	12500
Lifespan L70/B50 at 25 °C	25000 h
Additional product data	
Mounting type	Surface
Mounting location	Wall
Capabilities	
Dimmable	No
Type of connection	Terminal, 3-Pole (L, N, PE)
LEDmod replaceable	Not replaceable
Certificates & standards	
Protection class	I
Type of protection	IP44
Standards	CE / EAC / REACH / RoHS
DOWNLOAD DATA	
DOWNLOAD DATA	

	DOWNLOAD DATA
POF	User instruction ENDURA STYLE CRYSTAL TORCH
	Tender documents Tender Text 4058075474192
PDF	Packaging insert Legal insert

LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4058075474192	Folding box 1	107 mm x 107 mm x 274 mm	1023.00 g	3.14 dm ³
4058075474208	Shipping box 6	335 mm x 230 mm x 290 mm	6635.00 g	22.34 dm ³

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.