

PRODUCT DATASHEET

SMART + WIFI PLANON PLUS 300X300

SMART+ PLANON PLUS TUNABLE WHITE | Panel luminaires with WiFi technology



TECHNICAL DATA

Electrical data

Nominal wattage	20.00 W
Nominal voltage	220...240 V
Nominal current	110 mA
Mains frequency	50...60 Hz
Power factor λ	> 0,90
Operating mode	Mains voltage


Photometrical data

Light color	Tunable White
Standard deviation of color matching	< 6 sdc _m
Nominal luminous flux	1500 lm
Luminous flux	1500 lm
Luminous efficacy	75 lm/W
Color temperature	3000...6500 K
Color rendering index Ra	≥80

Light technical data

Beam angle	110 °
------------	-------

Dimensions & weight



Product weight	1120.00 g
Length	300.00 mm
Width	300.00 mm
Height	56.00 mm

Lifespan

Number of switching cycles	15000
----------------------------	-------

Colors & materials

Product color	White
Housing color	White
Body material	Aluminum
Cover material	Polymethylmethacrylate (PMMA)
Light emitting surface material	PMMA

Temperatures & operating conditions

Ambient temperature range	-20...+40 °C
---------------------------	--------------

Additional product data

Product remark	Reset settings to default by switching the product on for three seconds and off for three seconds and repeating this five times. / Available from January 2021
Mounting location	Ceiling



Capabilities

Dimmable	Yes
Type of connection	Terminal, 2-Pole (L, N)
Compatible smart home technology	Google Assistant / Amazon Alexa
LEDmod replaceable	Not replaceable

Certificates & standards

Energy efficiency class	A++
Standards	CE / EAC / REACH / RoHS
Protection class	II
Type of protection	IP20

DOWNLOAD DATA

DOWNLOAD DATA	
	User instruction SMART WIFI PLANON PLUS UI
	Declarations of conformity SMART WIFI PLANON PLUS 30X30 TW LEDV

LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4058075525313	Folding box 1	368 mm x 83 mm x 374 mm	1313.00 g	11.42 dm ³
4058075525320	Shipping box 5	427 mm x 387 mm x 410 mm	7572.00 g	67.75 dm ³

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.