

## T8 Coloured F18W/T8/P 0002560



### Range Features

- High quality fluorescent tubes
- Long life
- Available in five colours: Blue, Green, Red, Pink and Yellow
- Applications
- To create special lighting effects in shop windows, bars, fairground attractions, dance halls and discotheques



### PRODUCT OVERVIEW

Lampenoberfläche	Beschichtet
Lampenform	Tubular
Dimmbar	YES
EAN-Code	5410288025605
Verschluss/Sockel	G13
Typ	T8 Farbig
Watt (Nennleistung) (W)	18
Bestellnummer	0002560
Nutzbarer Lichtstrom (Nennwert) (lm)	550
Technologie	Fluorescent
Spannung (V)	57

### DATENTABELLE

#### Allgemeine Daten

Mittlere Lebensdauer (Nennwert) (h)	8000
Betriebsgerät erforderlich	Ja
Lampenoberfläche	Beschichtet
Lampenform	Tubular
Dimmbar	YES
EAN-Code	5410288025605
Leuchtennennwert	Open
Allgemeiner Einsatz	Retail; Hospitality; Logistics and Industry; Museums; Education; Office; Residential & Consumer

## T8 Coloured

F18W/T8/P

0002560

<b>IEC-Referenz</b>	IEC 60081
<b>IEC-Referenz 2</b>	IEC 61195
<b>Einsatzzweck</b>	Special lighting
<b>Verschluss/Socket</b>	G13
<b>Typ</b>	T8 Farbige
<b>Bestellnummer</b>	0002560
<b>Lange Bezeichnung</b>	High quality fluorescent tubes Long life Available in five colours: Blue, Green, Red, Pink and Yellow Applications To create special lighting effects in shop windows, bars, fairground attractions, dance halls and discotheques
<b>Produktname</b>	F18W/T8/P
<b>Lampen für spezielle Einsatzbereiche</b>	Yes
<b>Technologie</b>	Fluorescent
<b>Transformator erforderlich</b>	Nein
<b>Menge/Verpackungseinheit</b>	25
<b>E-Nummer SE</b>	8356729
<b>E-Nummer FI</b>	4942912

### Elektrische Daten

<b>Stromstärke (A)</b>	0.37
<b>Watt (Nennleistung) (W)</b>	18
<b>Watt (Nennwert) (W)</b>	18
<b>Spannung (V)</b>	57

### Physikalische Daten

<b>Lampendurchmesser (mm) – D</b>	26
<b>Lampenlänge (mm) – C/L</b>	604
<b>Länge Basis zu Basis (mm) – A</b>	589.8
<b>Länge Basis zu Pin (Min-Max) – B</b>	594.5-596.9
<b>Verpackungsbezeichnung</b>	Box/Sleeve
<b>Gewicht (kg)</b>	0.08

### Optische Daten

<b>Nutzbarer Lichtstrom (Nennwert) (lm)</b>	550
---	-----

## TECHNISCHE ZEICHNUNGEN

## T8 Coloured

F18W/T8/P

**0002560**

