









MR16 Start - Closed ot M281/FMW/EC 35W 12V GE BX 1/20 MIC

38007

Product information

MR16 Start lamps are low voltage tungsten halogen reflector-mounted lamps popular for downlighting and accent lighting applications because of their small size, precise beam control, high efficacy, excellent white light and cool beam characteristics.

The Cover Glass (closed) versions incorporate an integral clear lens to ensure that both bulb and reflector are protected from dust and dirt during installation and operation. The cover glass effectively eliminates UV-C radiation and greatly reduces UV-B radiation. The closed versions use the same reflectors as the open versions – and hence have the same dimensions, allowing users to interchange lamps at will.

Application areas



) Hospitality



Home







38007

Product data

| 38007 |
|-----------------------|
| Mirrored reflector |
| 50 |
| 46 |
| 35 |
| 45 |
| General Electric (GE) |
| GU5.3 |
| |

Performance data

| Nominal beam angle [°] | 36 |
|--|-------|
| Rated beam angle [°] | 36 |
| Nominal center beam candlepower (CBCP) [cd] | 840 |
| Rated peak intensity in [Cd] | 840 |
| Rated Lumens [lm] | 430 |
| Weighted energy consumption [kWh/1000h] | 37.09 |
| Energy efficiency class (EEC) | С |
| Lamp Lumen Maintenance factor (2000 hours) | 80% |
| Rated Life [h] | 2000 |
| Nominal Lifetime [h] | 2000 |
| Nominal correlated colour temperature (CCT) [K]] | 2900 |
| Colour Rendering Index (CRI) [Ra] | 100 |





Electrical data

| Nominal lamp power factor | 1 |
|---|---------|
| Rated power [W] | 35.0 |
| Starting time (sec) | 0.0 s |
| Warm up time up to 60% of full light output | instant |
| Number of switching cycles | 8000 |
| Coil type | C-6 |
| Dimming Capability | Yes |
| Nominal power [W] | 35 |
| Nominal lamp voltage [V] | 12 |
| | |

Logistic data

| Product status | Available |
|--------------------------|----------------------|
| Outer case size | 250 x 102 x 122 (mm) |
| Pallet quantity UK (PC) | 6720 |
| Pallet quantity EUR (PC) | 5320 |
| Layer quantity UK | 480 |
| Layer quantity EUR | 380 |
| Layer quantity | 380 EUR, 480 UK |
| Pack Quantity | 20 |
| EAN Code | 0043168380072 |
| DUN Code | 00043168380072 |

Downloads & Links

Go to the catalog site (HTTP)

Halogen Lamps Spectrum Catalogue (PDF)

Lighting design tools & calculators (HTTP)

High-res images / Technical drawings (HTTP)

Certificate for the Quality Management System of GE Lighting EMEA (PDF)

Certificate for the Environmental Management System of GE Lighting EMEA (PDF)