











LED T8 Value Glass

LED 14/T8VG 1,2m/840/100-240V 1/15

93076822

Product information

The LED T8 VG Glass range offers safe, reliable and affordable energy saving alternatives to standard Fluorescent T8 lamps. Available in 60cm, 120cm, 150cm and 180cm lengths, GE LED T8s can be quickly fitted as a replacement into luminaires operating on electromagnetic control gear or on electronic gear with a simple re-wire (for further details see installation guide).

Application areas



Office



(日本) Hospitality







Product data

Product Code	93076822
Bulb Shape	T8
Bulb Finish	Diffuse
Bulb Diameter [mm]	28
Regulatory comment	CE certified
Nominal Length [mm]	1200
Maximum Overall Length [mm]	1214
Net weight per piece [g]	0.255
Gross weight per piece [g]	0.374
Operating position	Universal
Mercury Content [mg]	No
RoHS compliant	Yes
Brand	General Electric (GE)
Cap/Base	G13

Performance data

200°
840
<6 steps
1750
14
125
A+
50000
4000
1750
80





93076822

Electrical data

Nominal lamp power factor	>0,9
Design Ambient Temperature [°C]	-30+50°C
Starting time (sec)	<0,5 sec
Number of switching cycles	50000
Dimming Capability	No
Nominal power [W]	14

Logistic data

DUN Code	10064894583763
EAN Code	0064894583766
Pack Quantity	15
Inner pack type	sleeve
Outer pack type	Corrugated box
Product status	Available

Downloads & Links

Go to the catalog site (HTTP)

Datasheet (PDF)

Installation guide (HTTP)

Images (HTTP)

Lighting design tools & calculators (HTTP)

Certificate for the Quality Management System of GE Lighting EMEA (PDF)

Certificate for the Environmental Management System of GE Lighting EMEA (PDF)