

## 64643 150 W 24 V

Low-voltage halogen lamps without reflector



### Areas of application


- Lamps for special luminaires
- Medical fiber optics (HLX)

### Product benefits

- Compared to standard lamps up to 10 % higher luminous efficacy (HLX)
- Instant light (HLX)
- Increased energy efficiency due to additional infrared coating on glass bulb (XIR)
- Compared to standard lamps up to 30 % higher luminous efficacy (XIR)

### Product features

- Xenon instead of krypton as the filler gas (XENOPHOT HLX versions)
- Luminous flux up to 10 % higher with same power consumption (XENOPHOT HLX versions)
- HLX tungsten halogen low-voltage lamp with or without reflector
- Dimmable (HLX)
- XIR tungsten halogen capsule with xenon gas filling



# Product datasheet

## Technical data

### Electrical data

Nominal wattage	150.00 W
Nominal voltage	24.0 V

### Photometrical data

Color temperature	3450 K
Nominal luminous flux	5000 lm

### Dimensions & weight



Diameter	15.0 mm
Length	57.0 mm
Light center length (LCL)	33.5 mm
Filament length	6.00 mm
Illuminated field	6.0*3.0 mm <sup>2</sup>
Filament diameter	3.0 mm

### Lifespan

Lifespan	100 h
----------	-------

### Additional product data

Base (standard designation)	GY9.5
-----------------------------	-------

### Capabilities

Burning position	s90
------------------	-----

### Certificates & standards

EEL – Energy Label	B
--------------------	---

## Product datasheet

### Country specific categorizations



<b>ANSI code</b>	FDS
<b>LIF</b>	A1/262
<b>Order reference</b>	64643 150W 24V

---

### Country specific information

<b>Product code</b>	<b>METEL code</b>	<b>SEG-No.</b>	<b>STK-Number</b>	<b>UK Org</b>
4008321099648	OSRH64643	-	-	-

# Product datasheet



## Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4008321099648	64643 150 W 24 V	Folding carton box 1	111 mm x 42 mm x 42 mm	0.20 dm <sup>3</sup>	21.00 g
4008321099655	64643 150 W 24 V	Shipping carton box 12	180 mm x 127 mm x 140 mm	3.20 dm <sup>3</sup>	329.50 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

## Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.