



TUV Amalgam XPT systems

TUV 130W XPT SE UNP/20

Philips TUV Amalgam XPT system consists of an electronic driver that operates one TUV Amalgam XPT lamp, mounted in a sleeve. The electrical specifications are tailored to the lamp, ensuring an optimized performance of the Philips TUV Amalgam XPT system. Thanks to extensive testing before a lamp system is released, we can ensure maximum reliability and long lifetime.

Product data

General Information	
Cap-Base	G10.2Q [G10.2q]
Operating Position	P10 [Parallel +/-10D or Horizontal(HOR)]
Main Application	Disinfection
Light Technical	
Depreciation at Useful Lifetime	15 %
Operating and Electrical	
Power (Rated) (Nom)	130 W
Lamp Current (Nom)	2.1 A
Ignition Supply Voltage (Min)	70 V
Controls and Dimming	
Dimmable	Yes


Product Data	
Full product code	871150020943605
Order product name	TUV 130W XPT SE UNP/20
EAN/UPC - Product	8711500209436
Order code	928101805112
Numerator - Quantity Per Pack	1
Numerator - Packs per outer box	20
Material Nr. (12NC)	928101805112
Net Weight (Piece)	0.175 kg

TUV Amalgam XPT systems

Warnings and Safety

- A lamp breaking is extremely unlikely to have any impact on your health. If a lamp breaks, ventilate the room for 30 minutes and remove the parts, preferably with gloves. Put them in a sealed plastic bag and take it to your local waste facilities for recycling. Do not use a vacuum cleaner.
- DANGER: Risk Group 3 Ultra Violet product. These lamps emit high-power UV radiation that can cause severe injury to skin and eyes. Avoid eye and skin exposure to unshielded product. Use only in an enclosed environment which shields users from the radiation.



Dimensional drawing



Product	D	O	C (max)
TUV 130W XPT SE UNP/20	19 mm	740 mm	842 mm

TUV 130W XPT SE


Photometric data



TUV Amalgam XPT systems

TUV Amalgam XPT systems

Lifetime



TUV Amalgam XPT systems

TUV Amalgam XPT systems

