

## XBO 6000 W/DHP OFR

XBO DHP | Xenon short-arc lamps for digital cinema projection




### Product benefits

- Short arc with very high luminance for brighter screen illumination
- Constant color temperature of 6,000 K throughout the entire lamp lifetime
- Easy to maintain
- High arc stability
- Instant light on screen thanks to hot restart function
- Wide dimming range

### Product features

- Wattage: 1,200...8,000 W



## Product datasheet

### Technical data

#### Electrical data

Nominal wattage	6000.00 W
Lamp voltage	35 V
Nominal current	170 A
Current control range	140...175 A

#### Dimensions & weight



Diameter	78.0 mm
Length	433.0 mm
Length with base excl. base pins/connection	393.00 mm
Light center length (LCL)	170.5 mm <sup>1)</sup>
Electrode gap cold	7.5 mm
Cable/wire length, input side	155 mm
Product weight	1115.00 g

<sup>1)</sup> Distance from end of base to tip of electrode (cold)

#### Temperatures & operating conditions

Max. permitted ambient temp. pinch point	230 °C
--	--------

#### Lifespan

Lifespan	650 h
----------	-------

#### Additional product data

Base anode (standard designation)	SFaX30-9.5
Base cathode (standard designation)	SFa30-7.9

#### Capabilities

## Product datasheet

<b>Cooling</b>	Forced
<b>Burning position</b>	p15/s15 <sup>1)</sup>

<sup>1)</sup> For vertical burning position: anode (+) on top

## Product datasheet

---

### Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4052899144026	XBO 6000 W/DHP OFR	Shipping carton box 1	670 mm x 309 mm x 309 mm	63.97 dm <sup>3</sup>	2805.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

---

### Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.